Material Safety Data Sheet

Section 1 General Information

Manufacturer:

Zinsser Company, Inc. 173 Belmont Drive Somerset, NJ 08875 (732) 469-8100

Emergency Telephone: Chemtrec (800) 424-9300 Date: December 1, 2006

Product Name: Pro Finisher Water-Base Polyurethane Satin

Codes: 137143

Section 2 Hazardous Ingredients

<u>Hazardous Component</u>	CAS#	OSHA <u>PEL</u>	ACGIH TLV
DPM (DiPropylene Glycol Methyl Ether)	34590-94-8	100 ppm	100 ppm 150 ppm (STEL)

Section 3 Hazard Identification

Emergency Overview: This product is a water-base non-flammable milky white liquid with a slight ammonia odor.

Primary Routes of Exposure:

Skin Contact Eye Contact Inhalation

Potential Acute Health Effects:

Eye: Exposure may cause mild eye irritation. Symptoms may include stinging, tearing, and redness.

Skin: Exposure may cause mild skin irritation. Prolonged or repeated exposure may dry the skin. Symptoms may include redness, burning, drying and cracking, and skin burns. Pre-existing skin disorders may be aggravated by exposure to this material.

Ingestion: Swallowing this material may cause gastrointestinal irritation (nausea, vomiting, and diarrhea) and central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness).

Inhalation: Inhalation of vapors may cause nose, throat, and respiratory tract irritation, central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness) and aggravate pre-existing lung disorders (e.g., asthma-like conditions).

(See also Sections 4, 8, and 11for related information)

Section 4 First Aid Measures

Eye contact: Flush eyes immediately with large amounts of water for at least 15 minutes. Get medical attention.

Skin contact: Wash exposed area thoroughly with soap and water. Get medical attention if irritation develops.

Ingestion: If swallowed contact a physician, poison control center, or hospital emergency room. Do not induce vomiting because of the danger of aspirating liquid into the lungs. If spontaneous vomiting occurs, monitor breathing for difficulty. Treat symptomatically and supportively. Get medical attention.

Inhalation: If symptoms develop, remove affected person to fresh air. If breathing is difficult, administer oxygen if available. If respiratory symptoms persist, get medical attention.

Section 5 Fire Fighting Measures

Flash Point (method): Nonflammable. No flash point.

Extinguishing Media: Foam, Dry Chemical, Water Fog, CO₂

Protection of Firefighters: As in any fire, wear self-contained breathing apparatus in pressure demand mode and full protective gear.

Section 6 Accidental Release Measures

Clean Up Methods: Keep unnecessary people away. Dike and contain spill with inert material (sand, earth, etc). Transfer liquids to container for recovery or disposal, or absorb with absorbent materials and place into containers for disposal. Keep spill out of sewer and open bodies of water. Floors may be slippery, care should be exercised to avoid falls during clean up operations.

Section 7 Handling and Storage

Handling: Keep from freezing.

Storage: Storage temperature MAX 60°C/140°F; MIN 1°C/34°F. Keep containers tightly closed, cool, dry and away from heat sources.

Section 8 Exposure Controls / Personal Protection

Engineering Controls: Use in well-ventilated areas. If necessary, use mechanical local exhaust ventilation or general room dilution ventilation to reduce vapor concentrations below applicable exposure limits.

Personal Protective Equipment (PPE):

Eye Protection: Prevent eye contact. Wear chemical splash goggles or similar eye protection if the potential exists for eye contact.

Skin Protection: Avoid unnecessary skin contact. It is recommended that rubber gloves be worn to prevent skin contact. Depending on conditions of use additional protective equipment may be necessary such as face-shield, apron or coveralls.

Respiratory Protection: None required for normally expected use conditions. If exposure limits are exceeded or if irritation is experienced, appropriate NIOSH approved respiratory protection should be worn.

General Hygiene Practices: Wash after handling material. Prevent Eye contact. Avoid prolonged skin and inhalation contact. Wash thoroughly before handling food, cosmetics, or before smoking.

Section 9 Physical Data

Appearance: Milky white **Odor:** Slight ammonia odor

Physical State: liquid pH: N/D

Boiling Point: 100°C/212°F **Melting Point:** N/D

Vapor Pressure: 17 @ 20°C Water **Vapor Density:** Greater than 1

Viscosity: N/D **Solubility in Water:** Dilutable

Specific Gravity (water = 1): 1.0

Section 10 Stability and Reactivity

Stability: Stable.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition Products: N.A.

Conditions to Avoid: Decomposition is dependent on time and temperature. On-set of polymer

decomposition is 177°C/350°F

Incompatibility: Strong oxidizing agents

Section 11 Toxicological Information

Carcinogenicity: The following ingredients are present at greater than 0.1% and are classified by IARC, NTP, or OSHA as carcinogenic:

 $\begin{array}{cccc} \underline{Ingredient} & \underline{CAS \#} & \underline{IARC} & \underline{NTP} & \underline{OSHA} \\ None & N/A & N/A & N/A & N/A \end{array}$

(See also Section 15 for related information)

Section 12 Ecological Information

Chemical Fate and Effects: None known

Section 13 Disposal Considerations

RCRA Hazardous Waste: State and local requirements for waste disposal may be more restrictive or otherwise differ from federal regulations. Chemical additions, processing or otherwise altering this material may render the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Consult all applicable federal, state, and local regulations regarding the proper disposal of this material.

Section 14 Transportation Information

Regulated by the DOT: Not regulated

Section 15 Regulatory Information

CERCLA:

N/A: Not Applicable N/D: Not Determined N/E: Not Established N/R: Not Required Est.: Estimated

The Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification to the National Response Center for releases of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQs) in 40 CFR 302.4 (for CERCLA 102).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u> <u>CAS#</u> <u>Maximum Concentration (Wt. %)</u>

None N/A N/A

SARA Title III, section 311/312:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQs) in 40 CFR 355 (used for SARA 302, 304, 311 and 312).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u> <u>CAS#</u> <u>Maximum Concentration (Wt. %)</u>

None N/A N/A

SARA Title III, section 313:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u> <u>CAS#</u> <u>Maximum Concentration (Wt. %)</u>

2-Pyrrolidinone, 1-Methyl (NMP) 872-50-4 3%

TSCA:

The components of this mixture are listed in the Toxic Substance Control Act Inventory of Chemical Substances.

This product does contain chemicals that require export notification under Section 12(b) of the TSCA regulation.

Chemical Name CAS# Maximum Concentration (Wt. %)

DPM (DiPropylene Glycol Methyl Ether) 34590-94-8 5%

Section 16 Other Information

Legend: N/A: Not Applicable N/D: Not Determined

N/E: Not Established
cps: Centipoise
N/R: Not Required
KU: Krebs Units

STEL: Short Term Exposure Limit C: OSHA Ceiling Value **PPM**: Parts Per Million **PPB**: Parts Per Billion

N/A: Not Applicable N/D: Not Determined N/E: Not Established N/R: Not Required Est.: Estimated

PEL: Permissible Exposure Limit **TLV**: Threshold Limit Value

TWA: Time Weighted Average mg/m³: Milligrams per cubic Meter

mppcf: Million particles per cubic foot of air.

ACGIH: American Conference of Governmental Industrial Hygienists **OSHA**: Occupational Safety and Health Administration (US Dept. of Labor)

RCRA: Resource Conservation and recovery Act

SARA: Superfund Amendment and Reauthorization Act

TSCA: Toxic Substance Control Act **FHSA**: Federal Hazardous Substance Act

Prepared By: Zinsser Health and Safety Manager, Regulatory Compliance Dept. 173 Belmont Drive Somerset, NJ 08875 (732) 469-8100

Disclaimer: Zinsser Co., Inc. believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the date of this material safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liabilities for personal injury or property damage incurred by the use of these materials and make no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and data and to comply with all applicable international, federal, state, and local laws and regulations.